





Silicone Inflatable Seals

Silicone Extrusions


SE2042




SE4537




SE3975




SE837




SE3500




SE3729



SE3151



SE3368







Silicone Inflatable Seals

Silicone Extrusions


SE1984




SE3301




SE1931




SE3113




SE2816




SE2464



SE2465



SE2643







Silicone Inflatable Seals

Silicone Extrusions


SE3172




SE3079




SE1993




SE493




SE396




SE3030



SE2128



SE4117







Silicone Inflatable Seals

Silicone Extrusions


SE4169




SE4032




SE2330




SE4331




SE4312




SE2480



SE3925



SE1398







Silicone Inflatable Seals

Silicone Extrusions


SE3813




SE2026




SE2668




SE4234




SE4009




SE3824



SE2207



SE2881







Silicone Inflatable Seals

Silicone Extrusions


SE2023




SE2382




SE3105




SE2417




SE2416




SE4118



SE2672



SE2792







Silicone Inflatable Seals

Silicone Extrusions


SE4064




SE2564




SE3047




SE3326




SE2274




SE3063



SE2268











SE3320





Silicone Inflatable Seals

Silicone Extrusions


SE3906**SE3216****SE393****SE3560****SE2182****SE2063****SE4194****SE2066**




Silicone Inflatable Seals

Silicone Extrusions


SE2068




SE2733




SE5408




SE3166




SE3385




SE3999



SE1356



SE2058







Silicone Inflatable Seals

Silicone Extrusions


SE4137




SE3426




SE2557




SE3336




SE1733




SE2106



SE1650



SE2223







Silicone Inflatable Seals

Silicone Extrusions


SE4055




SE1649




SE2227




SE2130




SE2150




SE2565



SE2158



SE4133





Silicone Inflatable Seals

Silicone Extrusions

Technical drawing of a mechanical part with the following dimensions:

- Overall width: 12.20
- Overall height: 7.00
- Inner width: 5.08
- Inner height: 4.57
- Top fillet radius: R 1.9
- Top fillet height: 0.64
- Bottom width: 17.5

Technical drawing of a mechanical part (Fig. 1.10) showing a cross-section. The part has a rectangular base with a width of 16.0 and a height of 14.3. The top edge is rounded with a radius of R 2.5. The inner profile features a central U-shaped cutout with a bottom radius of R 2.5 and a depth of 2.0. The right side of the part has a vertical edge with a radius of R 1.0 and a small fillet at the top with a radius of 1.3.

Technical drawing of a mechanical part with the following dimensions:

- Overall width: 36.50
- Overall height: 30.50
- Inner width: 27.00
- Inner height: 29.50
- Top edge features:
 - Left fillet radius: 4.50
 - Top-left corner radius: 6.00
 - Top-left fillet radius: 4.00
 - Top-center fillet radius: 2.50
 - Top-right corner radius: 6.00
 - Right fillet radius: 5.00

Technical drawing of a mechanical part with the following dimensions:

- Overall width: $16.9^{+0.6}_{-0.0}$
- Overall height: $11.9^{+0.6}_{-0.0}$
- Top flange thickness: 3.5
- Internal cavity depth: $1.5 - 2.0$
- Bottom flange thickness: 1.2
- Internal cavity width (left): 4.0
- Internal cavity width (right): 6.0

Technical drawing of a mechanical part, likely a mold or a bracket, showing a cross-section. The part has a U-shaped profile with a central cavity. The outer dimensions are 26.0 units wide and 26.0 units high. The wall thickness is specified as 2.5 - 3.0mm. The part features a central cavity with a small, irregular notch at the bottom center. The drawing includes a dimension line for the height (26.0) and a dimension line for the width (26.0). A callout indicates the wall thickness (2.5 - 3.0mm Wall).

Technical drawing of a mechanical part with the following dimensions and features:

- Overall width: 32.0
- Overall height: 27.0
- Inner square hole: 25.0 x 25.0
- Top edge features:
 - Left side: 5.0
 - Top-left corner: 3.5
 - Top center: R 2.2
 - Top-right corner: 3.0
 - Right side: 5.0
- Bottom edge features:
 - Bottom-left corner: 5.0
 - Bottom center: 25.0
 - Bottom-right corner: 5.0
- The part is filled with a cross-hatched pattern.


Technical drawing of a mechanical part, likely a cross-section of a component. The drawing shows a central rectangular hole with a width of 16.20. The overall width of the part is 21.60. The height of the part is 24.00. The top edge has a radius of 2.70. The bottom edge has a radius of 9.30. The part is shaded with a cross-hatch pattern. The drawing includes dimension lines and numerical values for all key dimensions.




Silicone Inflatable Seals

Silicone Extrusions

SE3277




SI101



Inflated Height:	17.8mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	25mm
Minimum Bend Radius Out:	50mm
Minimum Bend Radius In:	50mm
Minimum Bend Radius Axial:	90mm

SI102




Inflated Height:	21mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	17mm
Minimum Bend Radius Out:	50mm
Minimum Bend Radius In:	50mm
Minimum Bend Radius Axial:	90mm



Silicone Inflatable Seals


Silicone Extrusions

SI103




Inflated Height:	14mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	16mm
Minimum Bend Radius Out:	30mm
Minimum Bend Radius In:	30mm
Minimum Bend Radius Axial:	--

SI104




Inflated Height:	36mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	24mm
Minimum Bend Radius Out:	80mm
Minimum Bend Radius In:	80mm
Minimum Bend Radius Axial:	110mm

SI105



Inflated Height:	51mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	33mm
Minimum Bend Radius Out:	90
Minimum Bend Radius In:	90
Minimum Bend Radius Axial:	250

SI107




Inflated Height:	30mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	29.5mm
Minimum Bend Radius Out:	60
Minimum Bend Radius In:	60
Minimum Bend Radius Axial:	100



Silicone Inflatable Seals


Silicone Extrusions

SI108




Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	--
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	--

SI109




Inflated Height:	34mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	34mm
Minimum Bend Radius Out:	90mm
Minimum Bend Radius In:	90mm
Minimum Bend Radius Axial:	250mm

SI110



Inflated Height:	18.5mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	20mm
Minimum Bend Radius Out:	55
Minimum Bend Radius In:	55
Minimum Bend Radius Axial:	100

SI111




Inflated Height:	51mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	60mm
Minimum Bend Radius Out:	80
Minimum Bend Radius In:	80
Minimum Bend Radius Axial:	--



Silicone Inflatable Seals


Silicone Extrusions

SI114




Inflated Height:	18.5mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	Dovetail to above
Minimum Bend Radius Out:	60mm
Minimum Bend Radius In:	60mm
Minimum Bend Radius Axial:	60mm

SI116




Inflated Height:	16mm
Working Pressure:	15 PSI Max
Seal Gap:	16mm
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	80mm

SI117



Inflated Height:	13mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	16.5mm
Minimum Bend Radius Out:	30mm
Minimum Bend Radius In:	30mm
Minimum Bend Radius Axial:	150mm

SI117EXT




Inflated Height:	14.2mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	16.5mm
Minimum Bend Radius Out:	30mm
Minimum Bend Radius In:	30mm
Minimum Bend Radius Axial:	150mm



Silicone Inflatable Seals


Silicone Extrusions

SI118




Inflated Height:	60mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	--
Minimum Bend Radius Out:	100mm
Minimum Bend Radius In:	100mm
Minimum Bend Radius Axial:	--

SI121




Inflated Height:	31mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	33mm
Minimum Bend Radius Out:	90mm
Minimum Bend Radius In:	90mm
Minimum Bend Radius Axial:	100mm

SI122



Inflated Height:	24mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	15mm
Minimum Bend Radius Out:	80mm
Minimum Bend Radius In:	80mm
Minimum Bend Radius Axial:	100mm

SI123




Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	--
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	--



Silicone Inflatable Seals


Silicone Extrusions

SI126




Inflated Height:	21.5mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	As drawing
Minimum Bend Radius Out:	70mm
Minimum Bend Radius In:	60mm
Minimum Bend Radius Axial:	50mm

SI131




Inflated Height:	39mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	23mm
Minimum Bend Radius Out:	70mm
Minimum Bend Radius In:	60mm
Minimum Bend Radius Axial:	110mm

SI132




Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	--
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	--

SI133




Inflated Height:	21mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	17mm
Minimum Bend Radius Out:	40mm
Minimum Bend Radius In:	40mm
Minimum Bend Radius Axial:	60mm retained



Silicone Inflatable Seals


Silicone Extrusions

SI135b




Inflated Height:	21mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	As drawing
Minimum Bend Radius Out:	50mm
Minimum Bend Radius In:	50mm
Minimum Bend Radius Axial:	100mm retained

SI136




Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	--
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	--

SI137



Inflated Height:	48mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	33mm
Minimum Bend Radius Out:	500mm
Minimum Bend Radius In:	500mm
Minimum Bend Radius Axial:	400mm

SI139



Corouse Steel


Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	23mm
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	--



Silicone Inflatable Seals


Silicone Extrusions

SI140




Inflated Height:	31mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	10mm
Minimum Bend Radius Out:	60mm
Minimum Bend Radius In:	60mm
Minimum Bend Radius Axial:	100mm

SI141




Inflated Height:	20mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	25.5mm
Minimum Bend Radius Out:	50mm
Minimum Bend Radius In:	50mm
Minimum Bend Radius Axial:	120mm

SI145



Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	--
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	--

SI146




Inflated Height:	29mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	23mm
Minimum Bend Radius Out:	70mm
Minimum Bend Radius In:	70mm
Minimum Bend Radius Axial:	140mm



Silicone Inflatable Seals


Silicone Extrusions

SI147




Inflated Height:	30mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	22mm
Minimum Bend Radius Out:	70mm
Minimum Bend Radius In:	70mm
Minimum Bend Radius Axial:	140mm

SI148




Inflated Height:	21mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	17mm
Minimum Bend Radius Out:	40mm
Minimum Bend Radius In:	40mm
Minimum Bend Radius Axial:	60mm retained

SI151




Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	23mm
Minimum Bend Radius Out:	120mm
Minimum Bend Radius In:	120mm
Minimum Bend Radius Axial:	140mm

SI152




Inflated Height:	--
Working Pressure:	15 PSI Max
Seal Groove Machined:	--
Minimum Bend Radius Out:	--
Minimum Bend Radius In:	--
Minimum Bend Radius Axial:	--



Silicone Inflatable Seals


Silicone Extrusions

SI157




Inflated Height:	22mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	Retained seal as above
Minimum Bend Radius Out:	100mm
Minimum Bend Radius In:	100mm
Minimum Bend Radius Axial:	120mm

SI161




Inflated Height:	37mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	20mm
Minimum Bend Radius Out:	70mm
Minimum Bend Radius In:	60mm
Minimum Bend Radius Axial:	150mm


SI162



Inflated Height (Vacs to):	18mm (11mm)
Working Pressure:	15 PSI Max
Seal Groove Machined:	17mm
Minimum Bend Radius Out:	70mm
Minimum Bend Radius In:	70mm
Minimum Bend Radius Axial:	--

SE4641







Silicone Inflatable Seals

Silicone Extrusions


SE5112




SE4188




SE4804




SE5284




SE4826




SE5066




SE5350



SE5351







Silicone Inflatable Seals

Silicone Extrusions


SE5086




SE5075




SE5074




SE4926




SE5524




SE3425




SE5012



SE4925







Silicone Inflatable Seals

Silicone Extrusions


SE4946




SE5457




SE4933




SE4931




SE5417




SE5004



SE5219



SE4612







Silicone Inflatable Seals

Silicone Extrusions


SE3113




SE4609




SE4955




SE5509




SE5190




SE5566



SE5592



SE5712






Silicone Inflatable Seals


Silicone Extrusions

SI160




Inflated Height:	30mm
Working Pressure:	15 PSI Max
Seal Groove Machined:	To Profile
Minimum Bend Radius Out:	90mm
Minimum Bend Radius In:	90mm
Minimum Bend Radius Axial:	300mm


SE5833




SE5839



SE5858



SE5875







Silicone Inflatable Seals

Silicone Extrusions

SE5879



SE5886



SE5903

